

BTTP10



1 Product Introduction

Product Name	BTTP10
Equipment size	50*30*16mm
The main function	Support:Real-time GPS / BDS / WIFI / LBS positioning, SOS for help, remote monitoring, dialing the family number phone, electronic fence warning reminder, historical track query, power saving mode.
Chip	MT2503
Memory	32M Flash Memory
SIMcard	Card

2 Main Features

I / O interface	Built-in Micro 5pin
Standby average current	Less than 2ma (determined by the connection method)
GPRS	Class 12
Operation Voltage	3.5-4.2V (3.4V low power automatic shutdown)
Battery	Charging 5V 3.7V 500mAh
TF	32G

Horn	0916 Specification AAC
MIC	High-definition silicon microphone (sound can be heard within 10 meters)
Sensor	3D G-Sensor
GSM band	850MHz/900MHz/1800 MHz/1900MHz
GPS Antenna	High Performance 15X15 Ceramic Antenna
GSM Antenna	FPC Antenna
GPS positioning accuracy	Within 10 meters
WIFI positioning accuracy	Within 50 meters
GSM positioning accuracy	≥5 meters
Speed accuracy	0.1 m / s
GPS positioning time	Cold start -38s (Open sky) Hot start -2s (Open sky) The specific time will be affected by the environment
Operating temperature	-20 °C to +70 ° C
Working environment humidity	20%-80%RH